




## Limitations of Gauge/Gravity Duality (Matrix theory, AdS/CFT, ...)

Santa Barbara Gravity Workshop II  
Joe Polchinski

GGD  $\rightarrow$  no information loss, no remnants

*and if we assume we can solve the gauge theory*

$\rightarrow$  fine structure of microstates:




Tempting to believe that it is a complete description of bulk quantum gravity.

So we ask it, are there firewalls?

GGD  $\rightarrow$  no information loss, no remnants

*and if we assume we can solve the gauge theory*

$\rightarrow$  fine structure of microstates:


 $\} O(e^{-S})$

Tempting to believe that it is a complete description of bulk quantum gravity.

So we ask it, are there firewalls?


And it says, “I dunno”

Outside the horizon:




$b$  has an image  $\hat{b}$  in the CFT:  
we can see whether it is  
occupied.

Note, however, Vladimir's  
talk — near the horizon  
the view gets fuzzy:  
cf. also Daniel's talk,  
Susskind.




Outside the horizon:




$b$  has an image  $\hat{b}$  in the CFT:  
we can see whether it is  
occupied.


Note, however, Vladimir's  
talk — near the horizon  
the view gets fuzzy:  
cf. also Daniel's talk,  
Susskind.



Inside the horizon:




If we run the mode forward,  
we hit the singularity.



If we run it backwards,  
we need to solve a trans-  
Planckian problem (after  
the scrambling time)

Inside the horizon II:



If  $\tilde{b}^\dagger$  has an image in the CFT, we can use it to create excited states behind the horizon  $\rightarrow$  most states have firewalls (assuming no shenanigans). If the adiabatic principle holds (no firewall), then this image can't exist:

$$\mathcal{H}_{\text{interior EFT}} \not\subseteq \mathcal{H}_{\text{CFT}}$$

We are all looking at scenarios, we need a theory,  
beyond gauge/gravity duality.

