




<b>1</b>			
<b>REVISIONS</b>			
<b>ZONE</b>	<b>REV</b>	<b>DESCRIPTION</b>	<b>DATE</b>



SECTION A-A

UNLESS OTHERWISE SPECIFIED:		<h1>High Precision Devises</h1> <p>1668 Vallec Lane, Suite C, Boulder, Colorado 80301          Phone: (303) 447-2538 Fax: (303) 447-2548 Web Site: www.hpd-online.com</p>			
DIMENSIONS ARE IN INCHES DECIMAL TOLERANCES: $\pm .010$ $\pm .005$ $\pm .003$		TITLE: <b>p02101-013 10 mK can flange</b>			
ANGULAR TOL. $\pm 1^\circ$ SURFACE ROUGHNESS $\sqrt{}$		CONFIGURATION: <b>00-Default</b>			
INTERNAL AND EXTERNAL SURFACE INTERSECTIONS SHALL BE UNFORMALLY FINISHED WITH CHAMFER .005/010 X 45° OR RADIUS .005/010. CHAMFER ALL THREADED HOLES 110% OF MAJOR DIAMETER X 45°		SIZE: QTY PER ASSEMBY: SCALE: 1:2 SHEET 1 OF 1 REV:			
MATERIAL: <b>OF Copper</b>		C DATE: 5/21/2004 DRAWN BY: C. Danaher			
FINISH: <b>N/A</b>		A			