

REFEREED PUBLICATIONS:

- The COS Legacy Archive Spectroscopic SurveY (CLASSY) Treasury Atlas**, Berg, D. A., James, B. L., King, T., McDonald, M., Chisholm, J., Heckman, T., Martin, C. L., Stark, D. P. & the CLASSY TEAM, submitted to ApJ
- , Mintz, A., Rafelski, M., Jorgenson, R. A., Fumagalli, M., Dutta, R., Lusso, E., Rubin, K. H. R., O’Meara, J. M., ApJ, submitted
- , James, B. L.
- , Xu, Xineng
- How Identifying Circumgalactic Gas by Line-of-sight Velocity Instead of the Location in 3D Space Affects O VI Measurements**, Ho, S. H., Martin, C. L., and Schaye, J. 2021, arXiv:2110.01633 (accepted for publication in ApJ)
- Exploring the Dust Content of Galactic Halos with HERSCHEL. IV. NGC 3079**, Veilleux, S., and Meléndez, M., Stone, M., Cecil, G., Hodges-Kluck, E., Bland-Hawthorn, J., Bregman, J., Heitsch, F., Martin, C. L., Mueller, T., Rupke, D. S. N., Sturm, E., Tanner, R., and Engelbracht, C. 2021, arXiv:2110.01766 (accepted for publication in MNRAS)
- Disentangling the Physical Origin of Emission Line Ratio Offsets at High Redshift with Spatially Resolved Spectroscopy**, Hirtenstein, Jessie, Jones, Tucker, Sanders, Ryan L., Martin, Crystal L., Cooper, M. C., Brammer, Gabriel, Treu, Tommaso, Schmidt, Kasper, Shapley, Alice 2021, arXiv:2106.13810 (accepted for publication in ApJ)
- Spectroscopically Identified Emission Line Galaxy Pairs in the WISP Survey**, Dai, Y. S., Malkan, M. A., Scarlata, C. et al. 2021 (accepted for publication in ApJ)
- The Mass-metallicity Relation at $z \sim 1 - 2$ and Its Dependence on the Star Formation Rate**, Henry, A., Rafelski, M., Sunnquist, B., and 27 others including Martin, C. L., 2021,
- Connecting Galactic Outflows and Star Formation: Inferences from H Maps and Absorption-line Spectroscopy at $1 \leq z \leq 1.5$** , Prusinski, Nikolaus Z., Erb, Dawn K., Martin, Crystal L. 2021, AJ, 161, 212
- Exploring the Dust Content of Galactic Halos with HERSCHEL. III. NGC 891**, Yoon, J. H., Martin, C. L., Veilleux, S., and Meléndez, M., Mueller, T., Gordon, K. D., Cecil, G., Bland-Hawthorn, J., and Engelbracht, C. 2021, MNRAS, 502, 969
- Morphological and Rotation Structures of Circumgalactic Mg II Gas in the EAGLE Simulation and the Dependence on Galaxy Properties**, Ho, S. H., Martin, C. L., and Schaye, J. 2020, ApJ, 904, 76
- Resolving 3D Disk Orientation Using High-resolution Images: New Constraints on Circumgalactic Gas Inflows**, Ho, S. H., Martin, C. L. 2020, ApJ, 888, 14
- The UV Luminosity Function of Protocluster Galaxies at $z \sim 4$: The Bright-end Excess and the Enhanced Star Formation Rate Density**, Ito, Kei, Kashikawa, N., Toshikawa, J. and 12 more including Martin, C. L. 2020, ApJ, 899, 5
- Searching for $z > 6.5$ Analogs Near the Peak of Cosmic Star Formation** Du, Xinnan, Shapley, Alice E., Tang, Mengtao, Stark, Daniel P., Martin, Crystal L., Mobasher, Bahram, Topping, Michael W., Chevallard, Jacopo 2020, ApJ, 890, 65
- Ground layer adaptive optics for the W. M. Keck Observatory: feasibility study**,

- Lu, J. R.; Chun, M.; Ammons, S. M. and 12 more, 2018, SPIE, 10703
- Kinematics of Circumgalactic Gas: Feeding Galaxies and Feedback**, Martin, Crystal L., Ho, Stephanie H., Kacprzak, Glenn G., Churchill, Christopher W. ApJ, 878, 84
- The Brightest UV-selected Galaxies in Protoclusters at $z \approx 4$: Ancestors of Brightest Cluster Galaxies?**, Ito, Kei, Kashikawa, N., Toshikawa, J. and 13 more 2019, ApJ, 878, 68
- How Gas Accretion Feeds Galactic Disks**, S. H. Ho, Martin, C. L., & Turner, M. L. 2019, ApJ, 875, 54
- SILVERRUSH. VIII. Spectroscopic Identifications of Early Large Scale Structures with Protoclusters Over 200 Mpc at Redshift 6 to 7: Strong Associations of Dusty Star-Forming Galaxies**, Yuichi Harikane, Masami Ouchi, Yoshiaki Ono et al. 2019, ApJ, 883, 142
- SILVERRUSH. V. Census of Ly α , [OIII] λ 5007, H α , and [CII] 158 μ m Line Emission with ~ 1000 LAEs at $z = 4.9 - 7.0$ Revealed with Subaru/HSC**, Harikane, Y., Ouchi, Masami, Shibuya, T. & 32 co-authors, 2018, ApJ, 859, 84
- SILVERRUSH. III. Deep Optical and Near-Infrared Spectroscopy for Ly α and UV-Nebular Lines of Bright Ly α Emitters at $z=6-7$** , Shibuya, T., Ouchi, M., Harikane, Y., & 32 coauthors including Martin, C. L. 2018, PASJ, 70, 15
- Exploring the Dust Content of Galactic Winds with Herschel II. Nearby Dwarf Galaxies**, McCormick, A. et al. 2018, MNRAS, 477, 699
- Quasars Probing Galaxies: I. Signatures of Gas Accretion at Redshift $z \approx 0.2$** , S. H. Ho, C. L. Martin, G. G. Kacprzak, C. W. Churchill 2017, ApJ, 835, 267
- Ly α Emitting Galaxies at $z \approx 6.5$ in the WISP Survey**, M. B. Bagley, C. Scarlata, A. Henry, et al. 2017, ApJ, 837, 11
- The observable properties of cool winds from galaxies, AGN, and star clusters - I. Theoretical framework**, Krumholz, M. R., Thompson, T. A., Ostriker, E. C., & Martin, C. L. 2017, MNRAS, 471, 4061
- Evolution of Galactic Outflows at $z \approx 0 - 2$ Revealed with SDSS, DEEP2, and Keck spectra**, Sugahara, Y., Ouchi, M., Lin, L., Martin, C. L., & 4 coauthors 2017, ApJ, 850, 51
- CIII] Emission in Star-forming Galaxies at $z \approx 1$** , Du, X., Shapley, A. E., Martin, C. L., & Coil, A. L. 2017, ApJ, 838, 63
- A High Space Density of Luminous Lyman Alpha Emitters at $z \approx 6.5$** , Bagley, M. & 18 co-authors 2017, ApJ, 837, 11
- The Role of Quenching Time in the Evolution of the Mass-size Relation of Passive Galaxies from the Wisp Survey**, Zanella, A. & 15 coauthors 2016, ApJ, 824, 68
- Possible Signatures of a Cold-flow Disk from MUSE Using a $z \approx 1$ Galaxy-Quasar Pair toward SDSS J1422-0001**, N. Bouché, H. Finley, I. Schroetter et al. 2016, ApJ, 820 121
- The Kinematics of C IV in Star-forming Galaxies at $z \approx 1.2$** , X. Du, A. E. Shapley, C. L. Martin, & A. L. Coil 2016, ApJ, 829, 64
- Resolving Gas Flows in the Ultraluminous Starburst IRAS 23365+3604 with Keck LGSAO/OSIRIS**, Martin, C. L. & Soto, K. T. 2016, ApJ, 819, 49
- Temperature-based Metallicity Measurements at $z \approx 0.8$: Direct Calibration of Strong-Line Diagnostics at Intermediate Redshift**, Jones, T., Martin, C. L.,

- & Cooper, M. C. 2015, ApJ813, 126
- Confirmation of a Steep Luminosity Function for Ly α Emitters at $z = 5.7$: A Major Component of Reionization**, Dressler, A. et al. 2015, ApJ, 806, 19
- The Ly α Emission from Green Peas: the Role of Circumgalactic Gas Density, Covering, and Kinematics**, Henry, A. et al. 2015, ApJ, 809, 18
- Low Masses and High Redshifts: The Evolution of the Mass-Metallicity Relation**, Henry, A. et al. 2013, ApJ, 776, 27
- Confirmation of a Steep Luminosity Function for Ly α Emitters at $z \approx 5.7$: A Major Component of Reionization**, 2012, ApJ, 744, 149
- The Ly Profiles of ULIRGs: Fast Winds and Lyman Continuum Leakage**, Martin, C. L. et al. 2015, ApJ, 803, 6
- Exploring the Dust Content of Galactic Winds with Herschel. I. NGC 4631**, Melédez, M. et al. 2015, ApJ, 804, 46
- Spatially Resolved Gas Kinematics within a Ly α Nebula: Evidence for Large-scale Rotation**, Prescott, M. K., Martin, C. L., & Dey, A. 2015, ApJ, 799, 62
- New Perspective on Galaxy Outflows from the First Detection of Both Intrinsic and Traverse Metal-line Absorption**, Kacprzak, G. C., Martin, C. L. & 7 co-authors 2014, ApJ, 792, 12
- The Role of Dwarf Galaxies in the Star Formation History of the Universe**, Atek, H. et al. 2014, ApJ, 789, 96
- Physical Properties of Emission-line Galaxies at $z \sim 2$** , Masters, D. et al. 2014, ApJ, 785, 153
- Predicting Future Space Near-IR Grism Surveys using the WFC3 Infrared Spectroscopic Parallels Survey**, Colbert, J. W. et al. 2013, ApJ, 779, 34
- Quasars Probing Quasars VI. Excess HI Absorption Within One Proper Mpc of $z \sim 2$ Quasars**, Prochaska, J. X. et al. 2013, ApJ, 776, 136
- Constraining Stellar Feedback: Shock-ionized Gas in Nearby Starburst Galaxies**, Hong, S. et al. 2013, ApJ, 777, 63
- HST/WFC3 Near-Infrared Spectroscopy of Quenched Galaxies at $z \sim 1.5$ from the WISP Survey: Stellar Population Properties**, Bedregal, A. G. et al. 2013, ApJ, 778, 126
- Low Masses and High Redshifts: The Evolution of the Mass-Metallicity Relation**, Henry, A. et al. 2013, ApJ, 776, 27
- Scattered Emission from $z \sim 1$ Galactic Outflows**, C. L. Martin et al. 2013, ApJ, 770, 41
- Signatures of Cool Gas Fueling a Star-Forming Galaxy at Redshift 2.3**, Bouché, N.; Murphy, M. T.; Kacprzak, G. G.; Péroux, C.; Contini, T.; Martin, C. L.; Dessauges-Zavadsky, M., 2013, Science, 341, 50
- Evidence for Ubiquitous Collimated Galactic-Scale Outflows along the Star-Forming Sequence at $z \sim 0.5$** , Rubin, Kate H. R.; Prochaska, J. Xavier; Koo, David C.; Phillips, Andrew C.; Martin, Crystal L.; Winstrom, Lucas O., 2014, ApJ, 794, 156
- The Metallicity Evolution of Low-mass Galaxies: New Constraints at Intermediate Redshift**, Henry, Alaina; Martin, Crystal L.; Finlator, Kristian; Dressler, Alan, 2013, ApJ, 769, 148

Fine-Structure FeII* Emission and Resonant MgII Emission in $z = 1$ Star-Forming Galaxies, Kornei, K. A.; Shapley, A. E.; Martin, C. L.; Coil, A. L.; Lotz, J. M.; Weiner, B. J., 2013, ApJ, 774, 50

Demographics and Physical Properties of Gas Out/Inflows at $0.4 < z < 1.4$, C. L. Martin et al. 2012, ApJ, 760, 127

Galactic Outflows in Absorption and Emission: Near-UV Spectroscopy of Galaxies at $1 < z < 2$, D. K. Erb, A. M. Quider, A. L. Henry, & C. L. Martin 2012, ApJ, 759, 86

The Properties and Prevalence of Galactic Outflows at $z \sim 1$ in the Extended Groth Strip, K. A. Kornei et al. 2012, ApJ, 758, 135

Dust Extinction from Balmer Decrements of Star-Forming Galaxies at $0.75 < z < 1.5$ with HST/WFC3 Spectroscopy from the WISP Survey, Domínguez, A. et al. 2013, ApJ, 763, 145

The Emission-Line Spectra of Major Mergers: Evidence for Shocked Outflows, K. T. Soto, C. L. Martin, M.K.M. Prescott, & L. Armus, 2012, ApJ, 757, 86

Gas Excitation in ULIRGS: Maps of Diagnostic Emission-Line Ratios in Space and Velocity, K. T. Soto & C. L. Martin, 2012, ApJS, 203, 3

Physical properties of galactic winds using background quasars Bouché, N. et al. 2012, MNRAS, 426, 801

Enriched haloes at redshift $z = 2$ with no star formation: implications for accretion and wind scenarios Bouché, N. et al. 2012, MNRAS, 419, 2

The Faint-end Slope of the Redshift 5.7 LyA Luminosity Function Henry, A. L. et al. 2012, ApJ, 744, 149

Metals Removed by Outflows from Milky Way Dwarf Spheroidal Galaxies Kirby, E. N. et al. 2011, ApJ, 742, 25

An Ionization Cone in the Dwarf Starburst Galaxy NGC 5253 Zastrow, J. et al. 2011, ApJ, 741, 17

Detections of Faint LyA Emitters at $z = 5.7$: Galaxy Building Blocks and Engines of Dressler, A. et al. 2011, ApJ, 740, 71

The WFC3 Infrared Spectroscopic Parallel (WISP) Survey Atek, H. et al. 2010, ApJ, 723, 104

Very Strong Emission-line Galaxies in the WFC3 Infrared Spectroscopic Parallel Survey and Implications for High-redshift Galaxies H. Atek et al. , 2011, ApJ, 743, 121

The Size and Origin of Metal-enriched Regions in the Intergalactic Medium from Spectra of Binary Quasars, C. L. Martin, E. S. Scannapieco, S. L. Ellison, J. F. Hennawi, S. G. Djorgovski, & A. P. Fournier, 2010 ApJ, 721, 174

Binary Quasars at High Redshift. I. 24 New Quasar Pairs at $z \sim 3 - 4$, J. F. Hennawi et al. , 2010 ApJ, 719, 1672

The Persistence of Cool Galactic Winds in High Stellar Mass Galaxies between $z \sim 1.4$ and $z \sim 1$, K. H. R. Rubin et al. , 2010 ApJ, 719, 1503

New Results from the Magellan IMACS Spectroscopic Ly α Survey: NICMOS Observations of Ly α Emitters at $z = 5.7$, A. L. Henry, C. L. Martin, A. Dressler, P. McCarthy, & M. Sawicki, 2010 ApJ, 719, 685

The Diffuse and Compact X-Ray Components of the Starburst Galaxy Henize

- 2-10, H. A. Kobulnicky & C. L. Martin, 2010 ApJ, 718, 724
- Stellar Population Gradients in ULIRGs: Implications for Gas Inflow Timescales**, K. T. Soto & C. L. Martin, 2010, ApJ, 716, 332
- Physical Conditions in Low-Redshift, Low-Ionization Outflows from Near-Ultraviolet and Optical Resonance Lines**, C. L. Martin & N. Bouché, 2009, ApJ, 703, 1394
- Serendipitous Discovering of an Overdensity of Lyman-Alpha Emitters at Redshift 4.8 in the CL1604 Supercluster Field**, Lemaux, B. C. et al. 2009, ApJ, 700, 20
- Discovery of a Giant Ly α Emitter Near the Reionization Epoch**, M. Ouchi et al., 2009, ApJ, 696, 1164
- The Origin and the Kinematics of Cold Gas in Galactic Winds: Insight from Numerical Simulations**, A. Fujita, C. L. Martin, M.-M. Mac Low, K. New, & B. Weaver, 2009, ApJ, 698, 693
- Observations of Starburst Galaxies With Far-Ultraviolet Spectrographic Explorer: Galactic Feedback in the Local Universe**, J. P. Grimes, T. Heckman, A. Aloisi, D. Calzetti, C. Leitherer, C. L. Martin, G. Meurer, K. Sembach, & D. Strickland, 2009, ApJS, 181, 272
- AEGIS: Host Galaxies of Low-Ionization Outflows at $z < 0.6$** , T. Sato, C. L. Martin, K. G. Noeske, D. C. Koo, & J. M. Lotz, 2009, ApJ, 696, 214
- The DEEP2 Redshift Survey: Lyman-Alpha Emitters in the Spectroscopic Database**, M. Sawicki, B. C. Lemaux, P. Guhathakurta, E. N. Kirby, N.P. Konidakis, C.L. Martin, M. C. Cooper, J.A. Newman, & B.J. Weiner, 2008, ApJ, 687, 884
- A Magellan IMACS Spectroscopic Survey for $z \sim 5.7$ Lyman-Alpha Emitters**, C. L. Martin, M. Sawicki, A. Dressler, & P. McCarthy, 2008, ApJ, 679, 942
- Coincident, 100 kpc-scale Damped Ly α Absorption Towards a Binary QSO: How Large are Galaxies at $z \sim 3$?**, Sara L. Ellison, Joseph F. Hennawi, Crystal L. Martin, and Jesper Sommer-Larsen, 2007, MNRAS, 378, 801
- Extended Star Formation and Molecular Gas in the Tidal Arms Near NGC3077**, Fabian Walter, Crystal L. Martin, & Jurgen Ott 2006, AJ, 132, 2289
- Mapping Large-Scale Gaseous Outflows in Ultraluminous Galaxies with Keck II ESI Spectra: Spatial Extent of the Outflow**, C. L. Martin, 2006, ApJ, 47, 222
- Infalling Faint [OII] Emitters in Abell 851. II. Environment, Kinematics, and Star Formation History**, Taro Sato, & C. L. Martin, 2006, ApJ, 647, 946
- Infalling Faint [OII] Emitters in Abell 851. I. Spectroscopic Confirmation of Narrowband-Selected Objects**, T. Sato, & C. L. Martin, 2006, ApJ, 647, 934
- Magnetic Fields in Starburst Galaxies and the Origin of the FIR-Radio Correlation**, T. A. Thompson, E. Quataert, E. Waxman, N. Murray, C. L. Martin, 2006, ApJ, 645, 186
- Kinematics of Interstellar Gas in Nearby UV-Selected Galaxies Measured with HST/STIS Spectroscopy**, C. M. Schwartz, C. L. Martin, R. Chandar, C. Leitherer, T. M. Heckman, & M. S. Oey, 2006, ApJ, 646, 858
- The Role of Galactic Winds in Galaxy Formation**, Crystal L. Martin, *Astrophysics Update 2*, J W Mason (Editor), ISBN: 3-540-30312-X Springer Berlin Heidelberg New York, C Praxis Publishing Ltd, Chichester, UK 2006
- Mapping Large-Scale Gaseous Outflows in Ultraluminous Galaxies with Keck II ESI Spectra: Variations in Outflow Velocity with Galactic Mass**, C. L.

- Martin, 2005, ApJ, 621, 227
- HIRES Measurements of Cold Gas Kinematics in Galactic Winds** C. Schwatz & C. L. Martin, 2004, ApJ, 610, 201
- The Space Density of Redshift 5.7 Ly α Emitters: First Constraints from a Multislit Windows Search**, C. L. Martin, M. Sawicki, 2004, ApJ, 603, 414
- Metal Ejection by Galactic Winds**, C. L. Martin, 2004, Origin and Evolution of the Elements, ed. M. Rauch & A. McWilliams, Carnegie Observatories Astrophysics Series, Vol. 4 (Cambridge Univ. Press)
- Far Ultraviolet Observations of Diffuse Molecular Hydrogen in Starburst Galaxies**, C. G. Hoopes, K. R. Sembach, T. M. Heckman, G. R. Meurer, A. Aloisi, D. Calzetti, C. Leitherer, & C. L. Martin, 2004, ApJ, 612, 825
- Characterizing the Stellar Population in NGC 1705-1** G. A. Vázquez, C. Leitherer, T. M. Heckman, D. Lennon, D. de Mello, G. Meurer, & C. Martin, 2004, ApJ, 600, 162
- The Influence of Supershells and Galactic Outflows on the Escape of Ionizing Radiation from Dwarf Starburst Galaxies**, A. Fujita, C. L. Martin, M.-M. MacLow, & T. Abel, 2003, ApJ, 599, 50
- Chandra Observations of Expanding Shells in the Dwarf Starburst Galaxy NGC3077**, J. Ott, C. L. Martin, F. Walter, 2003, ApJ, 594, 776
- The Star-Forming Dwarf Galaxy Populations of two z 0.4 Clusters**, J. M. Lotz, C. L. Martin, & H. C. Ferguson, 2003, ApJ, 596, 143
- The Hubble Deep Field South Flanking Fields**, R. A. Lucas et al. , 2003, AJ, 125, 398
- Chandra Observations of the Dwarf Starburst Galaxy NGC 1569**, C. L. Martin, H. A. Kobulnicky, & T. M. Heckman, 2002, ApJ, 574, 663.
- The Interacting Dwarf Galaxy NGC 3077: The Interplay of Atomic and Molecular Gas with Violent Star Formation**, F. Walter, A. Weiss, C. Martin, & N. Scoville, 2001, AJ, 123, 225.
- Star Formation Thresholds in Galactic Disks**, C. L. Martin & R. C. Kennicutt, 2001, ApJ, 555, 301.
- On the Escape of Ionizing Radiation from Starbursts**, T. M. Heckman, K. Sembach, G. Meurer, C. Leitherer, D. Calzetti, & C. L. Martin, 2001, ApJ, ApJ, 558, 56.
- FUSE Observations of Outflowing OVI in the Dwarf Starburst Galaxy NGC 1705**, T. M. Heckman, K. R. Sembach, G. R. Meurer, D. K. Strickland, C. L. Martin, D. Calzetti, and C. Leitherer, ApJ, 2001, 554, 102.
- An Emission-Line Search for the Formation Epoch of Dwarf Elliptical Galaxies in Cl 0939+4713**, C. L. Martin, J. Lotz, & H. C. Ferguson, 2000, ApJ, 543, 97.
- H₂ in the 2 micron infrared spectra of long period variables**, K. H. Hinkle, B. Aringer, T. Lebzelter, C. L. Martin, & S. T. Ridgway, 2000, A&A, 363, 1065.
- The Hubble Deep Field South: Formulation of the Observing Campaign**, R. E. Williams, 2000, AJ, 120, 2735.
- VLT and HST observations of a candidate high redshift elliptical galaxy in the Hubble Deep Field South**, Stiavelli, M. et al. , 1999, A&A, 343, 25.
- Properties of Galactic Outflows: Measurements of the Feedback from Star Formation**, C. L. Martin, 1999, ApJ, 513, 156.
- The Impact of Star Formation on the Interstellar Medium. II. The Formation**

- of Galactic Winds , C. L. Martin, 1998, ApJ, 506, 222.
- The Impact of Star Formation on the Interstellar Medium. I. The Excitation of Diffuse, Warm Ionized Gas in Dwarf Galaxies** , C. L. Martin, 1997, ApJ, 491, 561.
- Measurements of He I λ 5876 Recombination-Line Radiation from the Diffuse, Warm Ionized Medium in Irregular Galaxies** , C. L. Martin & R. C. Kennicutt, 1997, ApJ, 483, 698.
- Kinematic Evidence for Superbubbles in I Zw 18: Constraints on the Star Formation History and Chemical Evolution** , C. L. Martin, 1996, ApJ, 465, 680.
- The History of Star Formation in II Zw 40**, L. Vanzi, G.H. Rieke, C.L. Martin, & J.C. Shields, 1996, ApJ, 466, 150.
- Soft X-Ray Emission from NGC 5253 and The Ionized Interstellar Medium**, C. L. Martin, & R. C. Kennicutt, Jr., 1995, ApJ, 447, 171.
- The Origin of the Rings Around SN 1987A: An Evaluation of the Interacting-Winds Model**, C. L. Martin, & D. Arnett, 1995, ApJ, 447, 378.
- The Synchrotron Bays of the Crab Nebula: A Magnetic Structure Associated with a Presupernova Circumstellar Disk**, R. A. Fesen, C. L. Martin, & J. M. Shull, 1992, ApJ, 399, 599.
- The Solar Wind Density Spectrum Near the Sun: Results From Voyager Radio Measurements**, W. A. Coles, W. Liu, J. K. Harmon, & C. L. Martin, 1991, J. of Geophysical Research, 96, 1745.

WHITEPAPERS:

- The Baryon Cycle, Resolved: A New Discovery Space for UV Spectroscopy**, Tumlinson, J., Oey, S. and 27 others including C. L. Martin 2019, BAAS, 51, 380
- Thirty Meter Telescope Detailed Science Case: 2015**, Skidmore, W. et al. 2015, RAA, 15, 1945
- Scientific Opportunities with Groud-Layer Adaptive Optics**, Dekany, R. & Martin, C. L., 2014 White Paper Presented at Keck Strategic Planning Meeting

ARTICLES FOR THE PUBLIC:

- Sharing the Essence of Discovery**, C. L. Martin 2012, International Innovation, Fall 2012, p 18

CONFERENCE PROCEEDINGS:

- Ground Layer Adaptive Optics for the W. M. Keck Observatory: Feasibility Study** , J. R. Lu, M. Chun, & 13 co-authors 2018, SPIE, arXiv1807.08832
- Starburst Feedback in Local, Massive Galaxies** , C.L. Martin, to appear in Highlights of Astronomy Vol XX, ed. F. Combes, Cambridge University Press (CUP,UK)
- Properties of Ly-Alpha Emitters at Redshift 6** , C.L. Martin, M. Sawicki, A. Dressler, & P.J. McCarthy, to appear in Highlights of Astronomy Vol 14, ed. Karel A. van der Hucht, Cambridge University Press (CUP,UK)
- Preliminary Results from a Spectroscopic Ly α Survey at Redshift 5.7 with IMACS**, C. L. Martin, M. Sawicki, A. Dressler, & P. J. McCarthy, 2005, in First Light and Reionization: Theoretical Study and Experimental Detection of First Luminous Sources, ed. Asantha Cooray & Elizabeth Barton

- Neutral Gas in Galactic Outflows**, C. L. Martin, 2003, in *Neutral Gas in Starburst Galaxies*, ed. S. Aalto, in press
- The Space Density of Redshift 5.7 Ly α Emitters** C. L. Martin, 2003, in *Multi-wavelength Cosmology*, ed. M. Plionis
- Measured Properties of Galactic Winds**, C. L. Martin, 2002, in *The IGM/Galaxy Connection – The Distribution of Baryons at $z=0$* , Ed. J. Rosenburg & M. Putnam
- The Metal Content of Galactic Winds**, C. L. Martin, 2002, in *Galaxy Evolution Theory and Observation*, Ed. V. A. Reese, *Rev. Mexican Astronomy*.
- Galactic Winds in Nearby Dwarf Galaxies**, C. L. Martin, 2002, in *Extragalactic Gas at Low Redshift*, Ed. J. Mulchaey & J. T. Stocke, *PASP Conf. Series* 254, 305.
- Far-UV Spectroscopy of Dwarf Starburst Galaxies with FUSE: Probing the Multi-Phase ISM with Resonance Absorption Lines**, C. L. Martin, T. M. Heckman, K. R. Sembach, G. R. Meurer, D. Calzetti, & C. Leitherer 2001, *BAAS*, 198, 6708.
- Chandra Observations of the Starburst Wind in NGC 1569**, C. L. Martin, H. A. Kobulnicky, T. M. Heckman, 197, 7911.
- Evidence for a Secondary Excitation Mechanism in the Diffuse Ionized Medium**, C. L. Martin, 1999, in *Astrophysical Plasmas: Codes, Models, & Observations*, Eds. Jane Arthur, Nancy Brickhouse, and Jose Franco, *Revista Mexicana de Astronomia y Astrofisica (Serie de Conferencias)*, Volume 9, p. 270.
- An Emission-Line Search for the Formation Epoch of the Smallest Galaxies**, C. L. Martin et al. 1999, *BAAS*, 193, 306.
- The Hubble Deep Field South: Flanking Fields**, Lucas, R. A. et al. 1999, *BAAS*.
- The HDF-S NICMOS Field**, A. S. Fruchter et al. , 1999, *BAAS*.
- The Hubble Deep Field - South: STIS Imaging**, J. P. Gardner et al. , 1999, *BAAS*.
- The Hubble Deep Field South: UV Spectroscopy of QSO J2233-606**, H. C. Ferguson et al. , 1999, *BAAS*.
- The Hubble Deep Field South: HDF-S**, R. Williams et al. , 1999, *BAAS*.
- Starburst Galaxies and the Intergalactic Medium**, invited review to appear in *Ultraviolet - Optical Space Astronomy Beyond HST*, ed. J. A. Morse, J.M. Shull, & A. Kinney, *ASP Conference Series* 164, 1999, p 66.
- Properties of Outflows from Dwarf Galaxies**, C. L. Martin, 1998, in *Dwarf Galaxies and Cosmology*, ed. T. X. Thuan, C. Balkowski, V. Cayatte, & J. T. T. Van, Editions Frontieres (Gif-sur-Yvette, France).
- Properties of Outflows from Dwarf Galaxies: Insights into the Evolution of the Star Formation Rate**, C. L. Martin, 1997, *BAAS*, 191, #123.01.
- Galactic Winds from Dwarf Galaxies**, C. L. Martin, 1998, in *Galactic Halos*, ed. D. Zaritsky, *ASP Conference Series*, Vol 136, 1998.
- Modelling the Rings**, C. L. Martin, in *SN1987A: 10 Years After*.
- The Dynamic Interstellar Medium in Dwarf Galaxies: A Case Study of I Zw 18**, C. L. Martin, 1996, in *The Interplay Between Massive Star Formation, the ISM and Galaxy Evolution*, ed. D. Kunth, 1996, Editions Frontieres, Ed. D. Kunth, B. Guiderdoni, M. Heydari-Malayeri, & T. X. Thuan, p. 579.
- The Impact of Star Formation on the Interstellar Medium**, in *Star Formation Near and Far*, *AIP Conference Proceedings* 393, ed. Stephen S. Holt & Lee G. Mundy,

AIP Press, Woodbury, New York.

The Dynamical and Physical State of the ISM in Dwarf Galaxies, C. L. Martin, 1995, BAAS, 187, 6504.

The Origin of the Rings Around SN 1987A, C. L. Martin & D. Arnett, 1995, BAAS, 26, 1446.

The Ring Around SN 1987A and its Constraints on the Post-main-sequence evolution of the Supernova Progenitor, C. L. Martin, & D. Arnett, 1993, in *Massive Stars: Their Lives in the Interstellar Medium* (ASP: San Francisco, CA), eds. J.P. Cassinelli & E.B. Churchwell, 35, 379.

The Ring around SN 1987A, C. L. Martin, & D. Arnett, 1993, in *The Evolution of Galaxies and Their Environments* (NASA: Ames Research Center), 332.

The Crab Nebula Bays': Evidence of a Pre-Supernova Disk?, R.A. Fesen, C.L. Martin, & J.M. Shull, BAAS, 23, 916.